

Item code: 6133FF

Ekote Fruit Strawberry Total (8-9)

14-05-17+5CaO+2MgO



Full fertilising plan for prolonged and safe nutrition

This compound Controller Release Fertiliser is specifically designed for the nutrition of strawberry varieties with year round cultivation. The high Calcium content encourages cell wall development and plant growth. The essential Magnesium promotes photosynthesis and plant's stress resistance. Ekote's reliable polymer coating ensures continuous supply of nutrients for the complete period of up to 9 months.



Precise controlled nutrition

- Reliable polymer coating is safe to roots and provides prolonged continuous of up to 9 months
- Extra Magnesium and Calcium promote healthy, stress-resistant and uniform plant development
- Compound fertiliser specifically formulated for the prolonged nutrition of field grown strawberries



Environmentally friendly

- Organic based polymer coating that degrades naturally in time
- Practically no leaching or volatilisation of nutrients

Highly efficient and economical

- Apply once and save cost and time
- Less fertiliser necessary to achieve optimum results



Ekote Fruit Strawberry Total (8-9)

14-05-17+5CaO+2MgO

Physical specifications

Average granule size: 3.2 mm

Colour: ivory/brown/grey

Product longevity determined in months at average soil temperature as given below.

Longevity at 15°C	Longevity at 21°C	Longevity at 30°C
10-12	8-9	6-7

Application

Recommended application method: row application. Best results are achieved when applied correctly at the root zone. Advised application period: spring, according growing plan. Suitable for the fertilising of strawberries with year round open field cultivation.

Irrigation after application gives a quicker initial effect and improves product and plant performance. As soil and growing conditions differ, please contact your dealer or Ekompany sales representative for specific product and application advice.

Packaging

Unit packaging (UoM1): 25kg

Packaging material (UoM1): dual layer PE bag with anti-slip varnish.

Standard pallet loading: 40x25 kg

Unit packaging (UoM2): 500kg

Packaging material (UoM2): single loop PP Big Bag.

Storage and safety

Store in unopened original packaging in a dry place protected from frost, heat or direct sunlight. Once opened reseal tightly and keep in a dry place. Caution: Harmful if swallowed. Do not inhale. Keep out of reach of children. Safety data sheet available upon request or to download from www.ekompany.eu.

Coating specifications

Coating material: degradable polymer coating

Coated N of total N: 92%

Coated P₂O₅ of total P₂O₅: 45%

Coated K₂O of total K₂O: 100%

Analysis (oxide)

14% Nitrogen total (N)

3% Nitric nitrogen
4,2% Ammoniacal nitrogen
6,8% Ureic nitrogen

5% Phosphorus pentoxide (P₂O₅)

soluble in neutral ammonium citrate and water
4,5% Water soluble

17% Potassium oxide (K₂O)

17,0% Water soluble

5% Calcium oxide (CaO)

2% Magnesium oxide (MgO)

15% Sulphur trioxide (SO₃)

14,0% Water soluble

Chloride content (Cl) <1%

Ekompany International B.V.

Verloren van Themaatweg 2A • 6121 RG Born
PO Box 206 • 6120 BA Born
The Netherlands
info@ekompany.eu

© Copyright Ekompany International B.V. All rights reserved. Ekote is a registered trademark of Ekompany International B.V. Limited Liability. Ekompany preserves the right to change the content of this brochure without any prior notice.

Publication: 14-6-2017

www.ekompany.eu