

ASAB



Sabtape
Premium drip tape

details make the difference


04.2017

 **SYSTEM GROUP**

Sabtape


Premium drip tape

- ✓ **Gocciolatore anti reflusso**
Anti-reflux slit emitter / Orifice anti-reflux
Gotero protegido / Эмиттер с предотвращением противотока
- ✓ **Labirinto ad ampia sezione**
Large section labyrinth / Labyrinthe à section large
Laberinto de sección amplia / Лабиринт широкого сечения
- ✓ **Filtro d'ingresso**
Inlet filter / Filtre d'entrée
Filtro de entrada / Входной фильтр
- ✓ **Flusso turbolento**
Turbulent flow / Flux turbulent
Flujo turbolento / Турбулентный поток
- ✓ **Filtrazione richiesta**
Filtration required / Filtrage recommandé
Filtración requerida / Требуемый уровень фильтрации
100 micron - 150 mesh



Ø 16 mm


Ø 22 mm



MAIN COIL




Ø	mil	mm	bar	bar max	m	Kg
16	5	0,125	0,7	0,9	3500	28,5
16	6	0,150	0,7	0,9	3000	28,0
16	7	0,175	0,7	1,0	2500	26,5
16	8	0,200	0,7	1,0	2200	25,5
16	10	0,250	0,7	1,2	1800	23,5
16	12	0,300	0,7	1,5	1500	22,0
22	6	0,150	0,7	0,9	2200	25,5
22	7	0,175	0,7	1,0	2000	25,0
22	8	0,200	0,7	1,0	1700	24,0




coils x pallet
28
28
28
28
28
28
28
28
28
28
28
28
28
28
28
28
28
28

20' container




pallet	coils
10	280
10	280
10	280
10	280
10	280
10	280
10	280
10	280
10	280
10	280
10	280
10	280
10	280
10	280
10	280
10	280
10	280
10	280

40' container




pallet	coils
24	672
24	672
24	672
24	672
24	672
24	672
24	672
24	672
24	672
24	672
24	672
24	672
24	672
24	672
24	672
24	672
24	672
24	672

truck



pallet	coils
26	728
26	728
26	728
26	728
26	728
26	728
26	728
26	728
26	728
26	728
26	728
26	728
26	728
26	728
26	728
26	728
26	728
26	728

loose coils




20'	40'
420	840
420	840
420	840
420	840
420	840
420	840
420	840
420	840
420	840
420	840
420	840
420	840
420	840
420	840
420	840
420	840
420	840
420	840

HALF COIL




Ø	mil	mm	bar	bar max	m	Kg
16	5	0,125	0,7	0,9	1750	14,4
16	6	0,150	0,7	0,9	1500	14,2
16	7	0,175	0,7	1,0	1250	13,7
16	8	0,200	0,7	1,0	1100	13,2
16	10	0,250	0,7	1,2	900	12,5




coils x pallet
56
56
56
56
56
56
56
56
56
56
56
56
56
56
56
56
56
56

20' container




pallet	coils
10	560
10	560
10	560
10	560
10	560
10	560
10	560
10	560
10	560
10	560
10	560
10	560
10	560
10	560
10	560
10	560
10	560
10	560

40' container




pallet	coils
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344
24	1344

truck



pallet	coils
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456
26	1456

loose coils




20'	40'
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680
830	1680

1000m COIL




Ø	mil	mm	bar	bar max	m	Kg
16	5	0,125	0,7	0,9	1000	8,4
16	6	0,150	0,7	0,9	1000	9,5
16	7	0,175	0,7	1,0	1000	10,9
16	8	0,200	0,7	1,0	1000	11,9




coils x pallet
80
72
60
60

20' container




pallet	coils
10	800
10	720
10	600
10	600

40' container




pallet	coils
24	1920
24	1728
24	1440
24	1440

truck




pallet	coils
26	2080
26	1872
26	1560
26	1560

loose coils




20'	40'
1200	2400
1100	2200
880	1760
880	1760

200m COIL




Ø	mil	mm	bar	bar max	m	Kg
16	6	0,150	0,7	0,9	200	2,1
16	7	0,175	0,7	1,0	200	2,3
16	8	0,200	0,7	1,0	200	2,5




coils x pallet
176
176
176

20' container




pallet	coils
10	1760
10	1760
10	1760

40' container



pallet	coils
24	4224
24	4224
24	4224

truck




pallet	coils
26	4576
26	4576
26	4576

100m COIL




Ø	mil	mm	bar	bar max	m	Kg
16	6	0,150	0,7	0,9	100	1,2
16	7	0,175	0,7	1,0	100	1,3
16	8	0,200	0,7	1,0	100	1,4




coils x pallet
368
368
368

20' container




pallet	coils
10	3680
10	3680
10	3680

40' container



pallet	coils
24	8832
24	8832
24	8832

truck



pallet	coils
26	9568
26	9568
26	9568



SAB



SAB S.p.A.
 via Salvo D'Acquisto
 61048 Sant'Angelo in Vado (PU) - Italy
 tel. +39 0722 810 800
 fax +39 0722 810 158
 sab@tubi.net
www.sabspa.com



ISO9001 - 2000

SYSTEM GROUP

